

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
11 August 2005 (11.08.2005)

PCT

(10) International Publication Number
WO 2005/074213 A1

(51) International Patent Classification⁷: **H04L 12/58**,
G06F 17/60

(74) Agents: **WARD, John, P.** et al.; Blakely, Sokoloff, Taylor
& Zafman LLP, 12400 Wilshire Boulevard, 7th floor, Los
Angeles, CA 90025 (US).

(21) International Application Number:
PCT/US2005/001754

(22) International Filing Date: 20 January 2005 (20.01.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/537,921 20 January 2004 (20.01.2004) US
10/799,860 12 March 2004 (12.03.2004) US

(71) Applicant (for all designated States except US): **CLOUD-
MARK, INC.** [US/US]; 500 3rd Street, Suite 265, San
Francisco, CA 94107 (US).

(72) Inventor; and


(75) Inventor/Applicant (for US only): **PRAKASH, Vipul,**
Ved [US/US]; 767 Bryant Street, #405, San Francisco, CA
94107 (US).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,

[Continued on next page]

(54) Title: METHOD AND SYSTEM FOR URL-BASED SCREENING OF ELECTRONIC COMMUNICATIONS



(57) Abstract: A method and an apparatus to screen electronic communications such as emails is disclosed. In one embodiment, the method includes extracting URLs from electronic communication (110) and analyzing the URLs extracted to determine whether the electronic communication is of a first predetermined category (120-150) such as spams.

WO 2005/074213 A1



SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *with international search report*

METHOD AND SYSTEM FOR URL-BASED
SCREENING OF ELECTRONIC COMMUNICATIONS

REFERENCE TO RELATED APPLICATION

[0001] This Application claims the benefit of United States Provisional Patent Application No. 60/537,921, filed on January 20, 2004, and entitled, "Whiplash A New Signature Scheme for SpamNet."

FIELD OF INVENTION

[0002] The present invention relates to electronic communication, and more particularly, to screening electronic communication.

BACKGROUND

[0003] As the use of electronic communications has become increasingly popular for both personal purposes and work related purposes, more marketers send spams, to advertise their products and/or services. As used herein, the term "spam" refers to electronic communication that is not requested and/or is non-consensual. Also known as "unsolicited commercial e-mail" (UCE), "unsolicited bulk e-mail" (UBE), "gray mail" and just plain "junk mail," spam is typically used to advertise products. The term "electronic communication" as used herein is to be interpreted broadly to include any type of electronic communication or message including voice mail communications, short message service (SMS) communications, multimedia messaging service (MMS) communications, facsimile communications, etc.

[0004] However, the mass distribution of spams causes many users not only nuisance, but costly problems as well. Spams clutter the inboxes of users, who has to manually go through the incoming electronic communications to separate the unsolicited communications from other legitimate communications. Furthermore, spams generate massive amount of useless traffic in the electronic communication networked system of many companies, which at best, may slow down the delivery of important communications; at worst, may crash the networked systems of the companies.

[0005] A current way to screen electronic communications is to analyze the content of incoming electronic communications. Existing software analyzes the message body of incoming electronic communications to generate a number of fingerprints or signatures. The message body of a spam typically contains a marketing message of the spam sender, who is also known as a spammer. However, the spammer may randomly make minor modification in the body of the spam such that the fingerprints generated may not recognize the modified spam. Therefore, another existing way to screen electronic communications for spams applies the similarity algorithm to catch electronic communications having content substantially similar to the content of a previously identified spam.

[0006] However, such content-based screening processes are not typically satisfactory because a spammer may randomize the contents of the spams to defeat these screening processes. For example, some spams are littered with random junk to avoid detection by the existing content-based screening processes.

SUMMARY

[0007] The present invention includes a method and an apparatus to screen electronic communications. In one embodiment, the method includes extracting Uniform Resource Locators (URLs) from electronic communication and analyzing the URLs extracted to determine whether the electronic communication is of a first predetermined category.

[0008] In a specific embodiment, the URL includes either a domain name (which is a part of or equivalent to a hostname), or an Internet Protocol (IP) address.

[0009] Other features of the present invention will be apparent from the accompanying drawings and from the detailed description that follows.

BRIEF DESCRIPTION OF THE DRAWINGS

[0010] The present invention is illustrated by way of example and not limitation in the figures of the accompanying drawings, in which like references indicate similar elements and in which:

[0011] Figure 1 illustrates a flow diagram of one embodiment of a process for screening electronic communications; and

[0012] Figure 2 illustrates one embodiment of a networked system.

DETAILED DESCRIPTION

[0013] A method and an apparatus to screen electronic communications are described. In one embodiment, the method includes extracting URLs from electronic communication and analyzing the URLs extracted to determine whether the electronic communication is of a first predetermined category.

[0014] In the following description, numerous specific details are set forth. However, it is understood that embodiments of the invention may be practiced without these specific details. In other instances, well-known components, structures, and techniques have not been shown in detail in order not to obscure the understanding of this description.

[0015] Reference in the specification to “one embodiment” or “an embodiment” means that a particular feature, structure, or characteristic described in connection with the embodiment is included in at least one embodiment of the invention. The appearances of the phrase “in one embodiment” in various places in the specification do not necessarily all refer to the same embodiment.

[0016] **Figure 1** shows a flow diagram of one embodiment of a process for screening electronic communications to identify electronic communications of a first predetermined category. The process is performed by processing logic that may comprise hardware (e.g., circuitry, dedicated logic, etc.), software (such as is run on a general-purpose computer system or a dedicated machine), or a combination of both.

[0017] Referring to Figure 1, when the electronic communication 101 (e.g., an email) is received, processing logic extracts URLs from the electronic communication 101 (processing block 110).

[0018] In some embodiments, the first predetermined category of electronic communications includes spams. The spammers may use the web

pages referenced by the URLs as landing web pages in the spams. The URL may include either a domain name (which is a part of or equivalent to a hostname) registered by spammers, a protocol, a subsection of a domain relative link, or an Internet Protocol (IP) address . For instance, processing logic may search for strings that begin in “http://”, “https://”, “ftp://”, or “gopher://”, and end in “@”, “>”, “<”, or “/” characters. Additionally, processing logic may also extract strings containing “www.” because strings containing “www.” may be automatically converted into clickable URLs by some electronic communication software.

[0019] Furthermore, processing logic may reformat the URLs extracted or may retain such information in the original form. For example, hostnames may be reduced to lowercase and the leading and trailing white space is pruned. In one embodiment, if a hostname is an IP address, the IP address is retained in the original form. The hostname can be canonicalized and reduced to the domain name that is registered at a domain registrar. However, if the hostname is a top-level domain (TLD) name, then the parts before the second level name may be pruned. For example, “m6nb2.pillzthatwork.com” is reduced to “pillzthatwork.com,” while “203.12.32.106” and “name.sf.ca.us” remains unmodified.

[0020] Referring back to Figure 1, processing logic generates one or more derivatives of the hostname extracted (processing block 120). These derivatives may be referred to as signatures. For example, processing logic may generate one signature based on each URL extracted from the electronic communication. Furthermore, processing logic may generate a unique signature for each unique URL. Alternatively, processing logic may generate one signature based on multiple URLs extracted from the electronic communication. Furthermore, processing logic may generate one or more signatures based on the URLs extracted and the length of the electronic communication.

[0021] To generate signatures, processing logic may perform various computations or hashing on the URLs extracted. For example, in one embodiment, processing logic computes a SHA1 hash over the hostname extracted and uses the first 48 bits of the hash result as the first part of a signature. Processing logic may derive the next 16 bits of the signature from the length of the electronic communication. For example, the length may be computed using the following formulae:

$length = orig_length - (orig_length \% 100)$, where % is the remainder of integer division;

$length = length < 100 ? 100 : length$, if $length$ is less than 100, then $length$ should be set to 100, otherwise, the original value of $length$ should be retained.

In the above example, the resultant $length$ would be a multiple of 100.

[0022] In one embodiment, the first 16 bits of SHA1($length$) are concatenated to the 48 bits generated by the SHA1 of host to form a 64-bit signature of the electronic communication. The 64-bit signature may be referred to as a “Whiplash” in some embodiments.

[0023] However, one should appreciate that numerous computations may be performed to generate the signatures and variations of computation are within the scope of the present invention. The examples described above are merely for the purpose of illustration. Alternatively, processing logic may use the extracted URLs as the signatures.

[0024] Referring back to Figure 1, processing logic selects one or more of the signatures generated (processing block 130). In one embodiment, the signatures are selected randomly. Processing logic compares the selected signatures against a set of predetermined signatures stored in a number of databases (processing block 140). The predetermined signatures stored may be generated from various known electronic communications of the first predetermined category reported by users via a collaborative submission mechanism. For example, the first predetermined category of electronic

communication may include spams and the community of users reporting spams is SpamNet provided by Cloudmark, Inc. in San Francisco, California. Signatures are generated based on the URLs extracted from the reported electronic communications, such as domain names, hostnames, and IP addresses in the reported electronic communications.

[0025] In one embodiment, hostname canonicalization may be performed to extract the canonical domain from the hostname such that the extracted domain name is part of the host that was registered at a domain registrar. After performing hostname canonicalization, selection is performed on the hostnames and/or domain names extracted to evaluate whether a particular host or domain is suitable for acting as a source for a signature to filter electronic communication of the first predetermined category, such as spams. The fact that a domain is promoted may not imply that the electronic communication containing the domain name is a spam. The determination of whether the electronic communication is a spam is derived by the votes from the SpamNet community in one embodiment. Based on the reports from trusted users on the signatures computed on the promoted domains, a domain or host may be determined to be providing a landing page for spams. Such determination is also referred to as categorization. Some promoted domains may be deemed legitimate by the users reporting spams, and hence, these promoted domains are, nevertheless, not used for filtering spams.

[0026] In one embodiment, domain names that contains “.biz” and “.info” are promoted. Alternatively, signatures representing URLs that contains a predetermined string of characters or letters, such as “rx”, “herb”, “pharm”, etc., may be promoted. Processing logic may also promote domain names containing certain IP addresses. Alternatively, processing logic may promote domain names that were registered within a certain period of time, such as the last six month. Furthermore, processing logic may demote domain names that contain dictionary words. Furthermore, a user may specify a particular domain name or hostname,

in addition to the processing logic selected domain names, such that the user specified domain name or hostname is used in filtering the incoming electronic communications.

[0027] As discussed above, the predetermined signatures derived from the promoted domain names are stored in some databases. In one embodiment, the databases storing the predetermined signatures are referred to as catalog databases. Furthermore, the databases may be either local or remote. In one embodiment, two types of tables are stored in the catalog databases. The first type of tables (hereinafter, referred to as the signature tables) store general information of the predetermined signatures and the second type of tables (hereinafter, referred to as the meta tables) store meta information of the predetermined signatures. A signature table may store information on a number of predetermined signatures and a meta value for each predetermined signature that links the predetermined signature to an entry in a meta table.

[0028] The meta table may contain meta information about the host from which the signature was derived. The meta information may include the first 255 characters of the hostname that was the source of the corresponding signature, the WHOIS registration date of the domain part of the hostname, and a *selection* field. The entry in the *selection* field indicates whether the signatures derived from the host can be used for screening electronic communications. The meta information may further include the number of trusted reports and revocations for signatures based on the host, as well as the number of different signatures created on a particular host.

[0029] Based on the comparison of the selected signatures against the predetermined signatures in the databases, processing logic determines whether one of the selected signatures matches an entry in the databases (processing block 150). If there is a match, processing logic identifies the electronic communication as an electronic communication of the first predetermined category (processing block 160). In one embodiment, processing logic blocks the

identified electronic communication. Alternatively, processing logic may tag the identified electronic communication or put the identified electronic communication into a predetermined location. If there is no match, processing logic may pass the electronic communication (processing block 170).

[0030] One advantage of screening electronic communications based on URLs is to make it harder for spammers to defeat the screening process. Since it is a lot more expensive to register a lot of domain names, hostnames, or IP addresses as landing web pages than to randomize the contents of electronic communications, the spammers are less likely to defeat the screening processes based on URLs.

[0031] **Figure 2** illustrates one embodiment of a networked system to screen electronic communications for electronic communications of a first predetermined category. The networked system 200 includes a server 210, a network 220, catalog databases 230, a nomination database 235, a user personal computer (PC) 250, and a user email server 260. The server 210, the catalog databases 230, the nomination database 235, the user personal computer (PC) 250, and the user email server 260 are coupled to each other via the network 220, which may include a local area network (LAN), a wide area network (WAN), or other types of networks.

[0032] Note that any or all of the components and the associated hardware illustrated in Figure 2 may be used in various embodiments of the networked system 200. In one embodiment, the networked system 200 may be a distributed system. Some or all of the components in the networked system 200 (e.g., the catalog database 230) may be local or remote. However, it should be appreciated that other configuration of the networked system may include one or more additional devices not shown in Figure 2.

[0033] Users of the networked system may have their PCs, such as the PC 250, coupled to the network 220 in order to access the catalog databases 230.

Alternatively, enterprise users may have their electronic mail servers 260 or gateway servers coupled to the network 220 in order to access the databases 230.

[0034] Users may send reports 240 on electronic communications identified to be of the first predetermined category to the nomination database 235 via the network 220. For example, some of these reports 240 may be sent from the user PC 250 or the user email server 260. An example of such a community of users reporting spams is SpamNet provided by Cloudmark, Inc. in San Francisco, California. The server 210 generates signatures of the reported electronic communications based on the URLs extracted from the reported electronic communications, such as domain names, hostnames, and IP addresses. The signatures are stored in the catalog databases 230.

[0035] When a user receives electronic communication, the user PC 250 or the user email server 260 may extract URLs from the electronic communication to generate a number of signatures. One or more of the signatures generated may be selected and compared against the signatures stored in the catalog databases 230. If there is a matching signature, then the electronic communication is identified to be of the first predetermined category. In one embodiment, the electronic communication may be blocked automatically after being identified to be of the first predetermined category. Alternatively, the identified electronic communication may be tagged. In one embodiment, the identified electronic communication is removed from the inbox of the user and put into a predetermined location so that the blocked electronic communication is not lost. A user may review the blocked electronic communications and decide not to block a particular electronic communication, i.e., to unblock the electronic communication.

[0036] Some portions of the preceding detailed description have been presented in terms of algorithms and symbolic representations of operations on data bits within a computer memory. These algorithmic descriptions and representations are the tools used by those skilled in the data processing arts to

most effectively convey the substance of their work to others skilled in the art. An algorithm is here, and generally, conceived to be a self-consistent sequence of operations leading to a desired result. The operations are those requiring physical manipulations of physical quantities. Usually, though not necessarily, these quantities take the form of electrical or magnetic signals capable of being stored, transferred, combined, compared, and otherwise manipulated. It has proven convenient at times, principally for reasons of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like.

[0037] It should be kept in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely convenient labels applied to these quantities. Unless specifically stated otherwise as apparent from the following discussion, it is appreciated that throughout the description, discussions utilizing terms such as "processing" or "computing" or "calculating" or "determining" or "displaying" or the like, refer to the action and processes of a computer system, or similar electronic computing device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system's registers and memories into other data similarly represented as physical quantities within the computer system memories or registers or other such information storage, transmission or display devices.

[0038] The present invention also relates to an apparatus for performing the operations described herein. This apparatus may be specially constructed for the required purposes, or it may comprise a general-purpose computer selectively activated or reconfigured by a computer program stored in the computer. Such a computer program may be stored in a computer readable storage medium, such as, but is not limited to, any type of disk including floppy disks, optical disks, CD-ROMs, and magnetic-optical disks, read-only memories (ROMs), random access memories (RAMs), EPROMs, EEPROMs, magnetic or optical cards, or any type of media suitable for storing electronic instructions, and each coupled to a computer system bus.

[0039] The processes and displays presented herein are not inherently related to any particular computer or other apparatus. Various general-purpose systems may be used with programs in accordance with the teachings herein, or it may prove convenient to construct a more specialized apparatus to perform the operations described. The required structure for a variety of these systems will appear from the description below. In addition, the present invention is not described with reference to any particular programming language. It will be appreciated that a variety of programming languages may be used to implement the teachings of the invention as described herein.

[0040] A machine-accessible medium includes any mechanism for storing or transmitting information in a form readable by a machine (e.g., a computer). For example, a machine-readable medium includes read only memory ("ROM"); random access memory ("RAM"); magnetic disk storage media; optical storage media; flash memory devices; electrical, optical, acoustical or other form of propagated signals (e.g., carrier waves, infrared signals, digital signals, etc.); etc.

[0041] The foregoing discussion merely describes some exemplary embodiments of the present invention. One skilled in the art will readily recognize from such discussion, the accompanying drawings and the claims that various modifications can be made without departing from the spirit and scope of the invention.

CLAIMS

What is claimed is:

1. A method comprising:
extracting URLs from electronic communication; and
analyzing the URLs extracted to determine whether the electronic communication is of a first predetermined category.
2. The method of claim 1, wherein extracting the URLs comprises extracting at least one of a hostname, a domain name, a subsection of a domain relative link, and an Internet Protocol (IP) address from the electronic communication.
3. The method of claim 1, further comprising performing a predetermined operation on the electronic communication if the electronic communication is determined to be of the first predetermined category.
4. The method of claim 1, wherein analyzing the URLs comprises:
generating one or more signatures based on the URLs extracted;
selecting one or more of the one or more signatures generated; and
comparing the selected signatures against a plurality of predetermined signatures generated from a plurality of known electronic communications of the first predetermined category.
5. The method of claim 4, wherein generating the one or more signatures further comprises using a length of the electronic communication to generate the one or more signatures.
6. The method of claim 4, wherein generating the one or more signatures further comprises using the extracted URLs as the one or more signatures.

7. The method of claim 4, wherein generating the one or more signatures further comprises generating the one or more signatures based on at least one of a protocol, a hostname, a domain name, a subsection of a domain relative link, and an Internet Protocol (IP) address from the electronic communication.

8. The method of claim 4, further comprising classifying the electronic communication to be of the first predetermined category if one of the selected signatures matches one of the plurality of predetermined signatures.

9. The method of claim 4, wherein the plurality of predetermined signatures is derived from a plurality of electronic documents reported via a collaborative submission mechanism.

10. A machine-accessible medium that provides instructions that, if executed by a processor, will cause the processor to perform operations comprising:

generating one or more signatures of electronic communication based on URLs in the electronic communication; and

determining whether the electronic communication is of a first predetermined category using the one or more signatures generated.

11. The machine-accessible medium of claim 10, wherein determining whether the electronic communication is of the first predetermined category comprises:

selecting one or more of the one or more signatures generated based on a plurality of predetermined criteria;

comparing the selected signatures against a plurality of predetermined signatures; and

classifying the electronic communication to be of the first predetermined category if one of the selected signatures matches one of the plurality of predetermined signatures.

12. The machine-accessible medium of claim 11, wherein selecting one or more of the one or more signatures generated comprises selecting a signature if the signature represents a domain that was registered within a predetermined period of time.

13. The machine-accessible medium of claim 11, wherein selecting one or more of the one or more signatures generated comprises selecting signatures representing one or more of a protocol, a hostname, a domain name, and a subsection of a domain relative link having a predetermined string of letters.

14. The machine-accessible medium of claim 10, wherein the operations further comprise extracting the URLs from the electronic communication.

15. A system comprising:

a plurality of databases to store a plurality of predetermined signatures of a plurality of known electronic communications of a first predetermined category; and

a server, coupled to the plurality of databases, including:

a memory device to store a plurality of instructions; and

a processor, coupled to the memory device, to retrieve the plurality of instructions from the memory device and to perform operations in response to the plurality of instructions, the operations comprising:

extracting URLs from electronic communication to generate one or more signatures; and

comparing one or more of the one or more signatures generated against the plurality of predetermined signatures stored in the plurality of databases to determine whether the electronic communication is of the first predetermined category.

16. The system of claim 15, wherein the URLs comprises at least one of a hostname, a domain name, a subsection of a domain relative link, and an Internet Protocol (IP) address.

17. The system of claim 15, wherein the operations further comprise selecting the one or more of the plurality of signatures based on a plurality of predetermined criteria.

18. The system of claim 15, wherein the operations further comprise performing a predetermined operation on the electronic communication if the electronic communication is determined to be of the first predetermined category.

19. The system of claim 15, further comprising a database, coupled to the server, to store a plurality of reports from which the plurality of predetermined signatures are generated.

20. The system of claim 15, wherein the plurality of databases are in a remote location from the server.




Figure 1

2/2


200

Figure 2

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US2005/001754

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04L12/58 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 H04L G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, INSPEC

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2002/199095 A1 (BANDINI JEAN-CHRISTOPHE ET AL) 26 December 2002 (2002-12-26) abstract paragraphs '0019! - '0023! paragraphs '0030! - '0032! figures 1-3	1-20
X	US 6 615 242 B1 (RIEMERS BILL C) 2 September 2003 (2003-09-02)	1-3
A	abstract column 4, line 45 - column 5, line 19 figures 1,2	4-20
	----- -/--	/

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

4 May 2005

Date of mailing of the international search report

24/05/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Bengi-Akyuerek, K

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US2005/001754

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X A	WO 03/044617 A (ADKINS, REGINALD) 30 May 2003 (2003-05-30) abstract page 5, line 17 - page 8, line 35 figures 1,3-6 -----	1-3 4-20
X A	PATENT ABSTRACTS OF JAPAN vol. 2003, no. 12, 5 December 2003 (2003-12-05) & JP 2003 263391 A (NEC CORP), 19 September 2003 (2003-09-19) abstract -----	1-3 4-20
P,X	WO 2004/075029 A (MAILFRONTIER, INC) 2 September 2004 (2004-09-02) page 4, line 15 - page 10, line 13 figures 1-4 -----	1-20

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US2005/001754

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2002199095 A1	26-12-2002	US 6609196 B1	19-08-2003
		US 2003196098 A1	16-10-2003
		US 2004193922 A1	30-09-2004
		US 2002169954 A1	14-11-2002
		US 2005081059 A1	14-04-2005
		US 2004054886 A1	18-03-2004
		AU 8759098 A	16-02-1999
		CA 2301147 A1	04-02-1999
		EP 1010283 A2	21-06-2000
		JP 2001518724 T	16-10-2001
		WO 9905814 A2	04-02-1999
US 6615242 B1	02-09-2003	NONE	
WO 03044617 A	30-05-2003	AU 2002364887 A1	10-06-2003
		WO 03044617 A2	30-05-2003
		US 2004243844 A1	02-12-2004
JP 2003263391 A	19-09-2003	NONE	
WO 2004075029 A	02-09-2004	US 2004167968 A1	26-08-2004
		WO 2004075029 A2	02-09-2004